







Contents

Introduction

- 04 No leaks, guaranteed
- 05 The Atlantis solution
- 06 Creating your dream tiled shower
- 09 The Atlantis Range

Showers

- 10 Linea Quattro™
- 18 Ebony & Ivory™
- 24 EasyTile™
- 30 Black Pearl™
- 36 Quub™
- 42 Freeform/Custom Showers & Frameless Screens

Finishes

- 50 Ellure™ Tile Look Walls
- 54 Linea Quattro™ Architectural Finishes
- 56 Foundry Series Hardware Upgrade

Accessories

- 60 EasyNiche™
- 66 EasyNiche™ Recessed Storage Systems
- 68 Ebony & Ivory Collection™ Purelite Mirror, Baths, Vanities & Cabinets

Technical

- 78 Product Warranties
- 80 Technical Specifications
- 86 Product Order Forms
- 100 About Atlantis





No leaks, guaranteed.

With Atlantis you can be sure that leaks from your tiled shower are a thing of the past.

Whatever your bathroom environment and flooring structure, our primary focus is to create a superior shower solution that will make your shower space watertight.

At Atlantis we are so confident in the superior performance of our Linea Quattro[™], EasyTile[™] shower base systems that we will guarantee their durability and leak-free function for a minimum of 25 years* – exceeding the requirements of the New Zealand Building Code, giving you peace of mind that your choice in Atlantis is the right one.

* See detailed Warranty Statement on page 78.







The Atlantis shower solution



A. SOLID BASE

The Atlantis shower base is unlike any other. The one-piece waterproof shower base made from durable materials forms a solid shower floor that will not flex or move. All bases can be installed onto existing floors for low-step entry, or can be recessed into the floor structure to create a level-entry shower with minimal alterations required.



B. 100% WATERPROOF

Made with thermoformed PMMA, backed with a tough fibreglass composite and enclosed with a generously high upstand along each wall-side, the Atlantis shower base is already waterproof and designed for perfect water drainage, leaving no chance for water to escape other than where directed.



C. SUPERIOR GLAZING CHANNELS

Atlantis glazing channels are designed to interlock at the critical corner junctions, providing a complete water seal and giving you extra peace of mind. * The base channel comes factory fitted onto the base, and the wall channel is applied direct to the waterproofing before tiling to create a superior result.



D. HIGHEST QUALITY SAFETY SCREENS

Whether you prefer a fully-enclosed shower or just to walk in, Atlantis' nano-coated CristalVision™ screens are made to the highest safety standards and are designed to work perfectly with the rest of the shower structure. No separate measuring or waiting required, or reliance on other suppliers. Optional clip-on door seals further enhance water tightness.



E. EASYNICHE™

Tiled recessed shower shelves can be difficult and time-consuming to construct and waterproof. The Atlantis one-piece EasyNiche[™] is made from the same rigid material as the shower base, and can be fitted easily and quickly into the wall for an attractive and fail safe result. Available for tiled or prefinished walls.



F. 25-YEAR WARRANTY

Because our showers have been rigorously designed and tested from start to finish, we are so confident in the performance of our showers that we promise leak-free showering for the life of your shower. While each system component comes with an individual guarantee, all Atlantis tile-over shower bases offer a 25-year durability and leak-free warranty, offering you complete peace of mind.

^{*}Patent No. 510350. Wall glazing channel Design Registration No. 403850.



steps to creating your dream shower

Work out the measurements and ideal shape to fit your space.

Atlantis has a large range of the most common shapes and sizes, up to 2000mm.

2 Choose from our range of base and drain designs to best suit your environment.

Your options include the sleek styling of a channel drain (Linea Quattro[™]), a tile-over centre-drain look (EasyTile[™]), solid white or black stone base (Ebony & Ivory[™]), premium prefinished white shower system (Black Pearl[™]) or acrylic shower available in white or graphite (Quub[™]).

2 Determine what wall finish you prefer.

Ellure™ Tile Look Walls, one piece acrylic wall liner or ceramic tiles over waterproofing. Atlantis shower bases come already 100% waterproof but you will need to consider additional waterproofing for the bathroom walls and floors if tiling.

A Select your preferred screen option to match from our range of styles.

Choose from hinged, sliding or walk-in (panel) screen options on all showers.

5 Decide on what accessories you would like with your shower.

Accessorise your shower with EasyNiche[™] recessed wall shelves (page 60), stunning new Foundry Series Hardware (page 56) for the finest finishes available and/or upgrade your Linea Quattro[™] shower base with a factory-fitted Architectural Finish (page 54)

Now it's time to choose your tapware, tiles and book your shower installation!

We advise using a qualified tradesperson or shower installer. To contact a recommended independent installer near you, visit www.atlantis.co.nz

^{*} Atlantis product warranties apply regardless of who installs the product. See Page 78 for warranty details.



steps to installing your tiled shower



Step 1. Position shower base.

Step 2.

Step 3.

Step 4.

Step 5.

Apply liquid waterproofing.

Fit wall glazing channels, then lay tiles.

Tiling complete.

Fit frameless screens.




Overview of installation method - the above scenario and times are a guide only. Installation times may vary depending on materials used, and may be carried out on more than one day. Visit www.atlantis.co.nz for a recommended independent installer near you.



Online Product Selector

Simplify your experience with Atlantis. Visit our website for a simple walk-through of all Atlantis products. Search and filter our ranges, make a list and then easily send it to your nearest retailer(s) to request a quote.

Visit atlantis.co.nz/selector for more information.






The Atlantis Range

Explore our extensive range of market-leading tiled & prefinished showers, and bathroom products.

1. Showers





- One-piece solid shower base
- 100% waterproof
- · Integrated channel drain
- · Factory-fitted glazing channels
- Over 70 sizes/options available
- 25-year Leakfree Warranty



Ebony & Ivory Shower System pg. 18

- Solid Prefinished
 LiberettoStone™ shower base
- · 100% waterproof
- · Available in Black or White
- · Integrated mini-channel drain
- 7-year Leakfree Warranty



EasyTile[™] Centre Drain Shower System pg. 24

- One-piece solid shower base
- 100% waterproof
- Centre waste outlet
- Factory-fitted glazing channels
- 10 sizes/options available
- 25-year Leakfree Warranty



Black Pearl™ Pure White Shower System pg. 30

- · One-piece solid shower base
- · 100% waterproof
- · Centre waste outlet
- Factory-fitted glazing channels
- · 23 sizes/options available
- · 7-year Leakfree Warranty



Quub[™] White or Graphite Shower System pg. 36

- One-piece solid shower base
- 100% waterproof
- · Centre waste outlet
- · Factory-fitted glazing channels
- · 10 sizes/options available
- 25-year Leakfree Warranty



Custom/Freeform Showers & Frameless

Screens pg. 42

- Showers and/or frameless screens for your unique space
- · Endless options
- 7-10 year warranties (depending on system)

2. Finishes



Ellure Tile Look Walls pg. 50 Premium Tile Look

Acrylic Walls



Linea Quattro Architectural Finishes pg. 54

Tile alternatives for Linea Quattro™ shower bases



 $\begin{array}{l} \textbf{Foundry Series} \\ \textbf{Hardware} \ pg. \ 56 \end{array}$

Upgrade your shower

3. Accessories



EasyNiche Recessed Bathroom Shelves pg. 60

Leakproof shower and bathroom storage spaces



EasyNiche Recessed Towel Warmer & Aura Shelf pg. 66

Unique new storage systems for towels and bathroom products



Purelite Mirrors, Baths, Vanities and Cabinets pg. 68

Accessorise your bathroom with premium products by Atlantis

For more information on all products view our online product selector at atlantis.co.nz/selector











The market-leading tile-over channel drain shower, featuring our unrivalled 25-year warranty.





Exceed your shower expectations with Linea Quattro™

The premium tile-over channel drain shower solution for timber or concrete floors. Create a seamless bathroom with the stepless entry shower.

The Linea Quattro[™] shower system suits being tiled completely, Ellure[™] Tile Look Walls and/or an Architectural Finish in a range of stunning options.

- Low profile one piece shower base with easy clean trap. May be installed as low step or level entry (stepless)
- 25-year leak-free warranty on Linea Quattro[™] shower base
- Integrated channel drain in side or back configurations adjacent to wall. Drain covers in your choice of three styles
- Single tiling plane suits large format tiles, or one piece Architectural Finishes (Pg. 54)

- Available with 2140mm high naked frameless[™] or contemporary frameless hinging screens including factory-applied CristalVision nano-coating.
- Optional EasyNiche™ Recessed Product Shelves (Pg. 62)
- Vast range of standard shower sizes and shapes from 900 x 800mm to
 2000 x 1000mm. Custom options available.

Linea Quattro[™] Foundry Series Hardware Upgrade









Linea Quattro[™] - three wall hinged door, sliding door & walk-in shower sizes

Linca Qua	ttio -	unice wan	imigeu	door, sind	ing door & v	vaix-iii siiv	OWCI SIZES	
3-WALLED SHOWERS w a A BACK DRAIN POSITION	800MM DEEP	SIZE (mm)	BACK DRAIN 2140mm HIGH	NAKED FRAMELESS			2140mm HIGH CONTEMPORARY FRAMELESS	
		WIDTH DEPTH		ENCLOSED HINGED DOOR HZ	ENCLOSED SLIDING DOOR SL3	WALK-IN FIXED PANEL FX	ENCLOSED HINGED DOOR HR	
	PRAGUE	900 x 800	•	• DOOR HZ	DOORSID	PAINEL FA	• DOOR FIR	COOR
Fit in place	DALLAS	1000 x 800	•	•			•	Wing
of a bath	BEIJING	1100 x 800	•	•	•		•	in & out
01 0 5	STOCKHOLM	1200 x 800	•	•	•	•	•	
	LINCOLN	1300 x 800	•	•	•	•	•	
	MOSCOW	1400 x 800	•	•	•	•	•	
	WASHINGTON	1500 x 800	•	•	•	•	•	
	BUDAPEST	1600 x 800	•	•	•	•	•	
	AMSTERDAM	1700 x 800	•	•	•	•	•	
	COPENHAGEN	1800 x 800	•	•	•	•	•	
	HAVANA	1900 x 800	•	•	•	•	•	
	SEOUL	2000 x 800	•	•	•	•	•	
3-WALLED SHOWERS w LH DRAIN POSITION	900MM DEEP	SIZE (mm)	LH DRAIN RH DRAIN BACK DRAIN	NAKED FRAMELESS			2140mm HIGH CONTEMPORARY FRAMELESS	
W		WIDTH DEPTH		ENCLOSED HINGED DOOR HZ	ENCLOSED SLIDING DOC SL	OR WALK-IN FIXED PANEL FX	ENCLOSED HINGED DOOR HR	
	ROME	900 x 900	•	•			•	
	TURIN	1000 x 900		•			•	DOOR
	ZURICH	1100 x 900	•	•	•		•	SW In & out
	BERLIN	1200 x 900		•	•	•	•	
RH DRAIN POSITION	VIENNA	1300 x 900	•	•	•	•	•	
w	SANTIAGO	1400 x 900		•	•	•	•	

All 3-wall doors can be hinged or fixed from left or right wall. All 3-wall doors can slide from left to right or right to left.

1500 x 900

1600 x 900

1700 x 900

1800 x 900

1900 x 900

2000 x 900

BARCELONA

OTTAWA


PHOENIX

TOKYO

OSLO SINGAPORE

BACK DRAIN POSITION





3½-WALLED SHOWERS W O TOO TOO	1000MM DEEP	SiZE (mm)	LH DRAIN	RH DRAIN	W O	900MM & 1000MM WIDE	SIZE (mm)	BACK DRAIN	2140mm HIGH NAKED FRAMELESS	2140mm HIGH CONTEMPORARY FRAMELESS
LH DRAIN POSITION	NAGOYA	WIDTH DEPTH 1400 x 1000	•	•	۵		WIDTH DEPTH		ENCLOSED HINGED DOOR HZ	ENCLOSED HINGED DOOR HR
W	EDMONTON	1500 x 1000	•	•		AUSTIN	900 x 1200	•	•	. 0
	ORLANDO	1600 x 1000	•	•		LIMA	900 x 1400	•	•	· DOOR S
→ □ □	HONOLULU	1800 x 1000	•	•		TUSCANY	900 x 1600	•	•	· SW In Sout
700 RH DRAIN POSITION					BACK DRAIN POSITION	MEMPHIS	900 x 1800	•	•	•
No glass					Utilise a toilet room space					


31/2-walled shower bases do not come with screens and are only available as fully walk-in.

Screen diagrams are indicative only, visit our website or contact us for exact panel size if this information is required.





Linea Quattro[™] - two wall hinged door, sliding door & walk-in shower sizes






Linea Quattro[™] Foundry Series Hardware Upgrade



[©] Copyright and all other intellectual property rights in the Linea Quattro[™] shower base and screen look are claimed and reserved. *HRB/C refer to technical guide for exact glass configurations/dimensions.














Handcrafted
LiberettoStone[™] shower
system available in
stunning Black or White.



Ebony & Ivory
Premium prefinished





Designed for dramatic effect.

Ebony & Ivory[™] is founded on the undeniable simple beauty of the contrast between black and white. Ebony & Ivory[™] encourages freedom of expression for the most creative, luxurious and functional bathrooms.

Ebony & Ivory[™] Showers are handmade from elegant and durable LiberettoStone[™] – a mix of resin and fine stone properties that is then cast and polished to create a beautiful shower tray. The Ebony & Ivory[™] system is designed and constructed to last a lifetime, and to look beautiful while doing so. This system suits tiled ceramic walls or Ellure[™] Tile Look Walls.

- Low-step entry for a subtle transition from bathroom to shower.
- Solid, durable and easy-to-clean
 LiberettoStone[™] construction
- Various sizes and shapes to suit any unique bathroom. Custom options available

- Silky smooth black or white stone finish
- Integrated mini-channel drain located at rear of shower in a range of positions
- Available with 2140mm high frameless Sliding, Hinged and Walk-in glass screens including CristalVision nano-coating.

Ebony & Ivory[™] Foundry Series Hardware Upgrade











Ebony & Ivory[™] shower system - hinging and sliding door sizes



^{*} Door located on short side




Ebony & Ivory[™] Foundry Series Hardware Upgrade Upgrade your shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 57 for options.



Screen diagrams are indicative only. Please contact Atlantis to confirm exact panel size if this information is required. Actual base size may be up to 10mm larger in width or depth. For exact base measurements please see our website or contact Atlantis Bathroom Style. © Copyright and all other intellectual property rights in the Ebony & Ivory™ shower base and door look are claimed and reserved.











EASYTILE

The original one-piece, centre drain, tile over shower system, including the Atlantis 25-year warranty.





EASYTILE



Classic style, enduring function.

The versatile tile-over shower solution for the everyday Kiwi lifestyle. Achieve a tiled shower safely and securely with the EasyTile[™] system.

The EasyTile[™] shower system is designed to be completely tiled or is compatible with Ellure[™] Tile Look Walls or acrylic wall liner.

- Low profile one piece shower base –
 50mm high step in does not rely on waterproofing as other showers do
- 75mm wall junction upstand for guaranteed watertightness
- Solid waterproof construction –
 25-year leak free warranty on base
- Factory-fitted glazing channels for hassle-free glass installation process

- Centre easy clean waste fitting, discreetly concealed under a tile insert cover (vertical hi-flow option available)
- 9 standard shower sizes / shapes
- Available with frameless hinged screens at 1960mm high from floor
- Optional EasyNiche[™] recessed product shelves (Pg. 62)

EasyTile[™] Foundry Series Hardware Upgrade

Upgrade your shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 57 for options.




Registered Design No's. 401532, 401533, 403852. Patent No. 510350.










EasyTile[™] - two wall, three wall & angle front hinged door sizes





























Premium low profile non-tiled frameless acrylic base design.









BLACK PEARLTM



Clean white floor, flexible wall finish.

A premium fully frameless, top of class, practical shower. Black Pearl™ is supplied with superior hardware – including a machined stainless steel waste outlet – and now with CristalVision frameless screens. This acrylic shower is a cut above the rest.

The Black Pearl[™] shower system suits Ellure Tile Look Walls, one piece acrylic wall liner or ceramic tiled walls.

- Low profile non-tiled acrylic shower base
- Rear located waste outlet (centre waste also available with most sizes)
- Available fully frameless at 2060mm high including CristalVision nano-coated glass
- Now available with miGlide Soft-Close Sliding on all showers <u>over</u> 900 wide

- 24 standard shower sizes / shapes
- Optional Retro-fit or Tile-over EasyNiche™ available
- Self-centering chrome-plated brass hinges and superior aluminium hardware
 - Easy installation one person, one site visit

Black Pearl[™] Foundry Series Hardware Upgrade










Black Pearl™ - two wall, three wall & angle front shower sizes














Quub

The affordable, low-profile acrylic centre drain shower system by Atlantis.







Quub



Simplicity and functionality working in harmony.

The Quub[™] shower has been designed with simplicity in mind. Now available in Graphite and Gloss White.

The one-piece Quub[™] tray features factory-fitted glazing channels, provides a bulletproof shower area while creating a blank canvas for you to set your imagination free.

- Slim low profile one piece shower base –
 50mm high step in
- Available in Gloss White or Graphite –
 Graphite includes Matte Black Hardware
 as standard
- 9 standard shower sizes / shapes
- Available fully frameless at 1960mm high
- Solid waterproof construction –
 25-year leak free warranty and 7-year surface warrranty on base

GLOSS WHITE





Supplied standard with satin glazing channels and wall channels and chrome handles, hinges and top brace.



Supplied standard with matte black glazing channels, wall channels, handles, hinges and top brace.

Quub[™] Foundry Series Hardware Upgrade

Upgrade your shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 57 for options.




Registered Design No's. 401532, 401533, 403852. Patent No. 510350.








Quub[™] - two wall, three wall & angle front hinged door sizes









NIRVANA (RH)



1200 x 900





RH RECTANGLE











Freeform Showers & Frameless Screens

Require a solution for your unique space? Count on us to create a custom shower and/ or screens package to suit your needs.



Freeform/Custom Showers - design your freeform shower base

Create Please be use	ask y	our p	refer	red b	athroo	om m	ercha	nt to s	send y	your c	omple	eted c	drawii	ng to	Atlan	tis for	avail	abilit	y opti	ons ar	nd qu	otatio	n. Ex	kampl	es on	oppos			nay
	No. o	of fram	ned wal	lls			iled ray		Ac Tra	rylic ay			Level Entry			Step Entry			ieless S vailable	creens:		Н	inged		S1	iding		V	Valk-i
			Pl	lease in	dicate t	he inte	nded p	osition	of the	shower	waste/	outlet.					'	Plo	ease sh	ow the i	ntende	d confi	guratio	on of th	e fram	eless gla	ass scre	ens bel	.ow

Please provide as many measurements and details as possible in the space above.


Note: Custom showers are non-returnable and non-refundable. When complete, please ask your preferred bathroom merchant to send to support@atlantis.co.nz





lınea quattro

Custom tile-over tray package (Architectural Finishes can also be applied). Frameless glass screens can be supplied on most options.

Typically Linea Quattro $^{\mathbb{M}}$ showers can supplied from 2000mm wide, and up to 1200mm deep. Multiple configuration options.











EBONY & IVORY

Custom prefinished black or white stone tray package. Frameless glass screens can be supplied on most options.

Typically Ebony & Ivory[™] showers can be supplied from 1400mm wide to 1000mm deep. Side or back outlet options available.







BLACK PEARL™

Custom prefinished acrylic tray package. Frameless glass screens can be supplied on most options.

Typically Black Pearl™ showers can be supplied from 1800mm wide to 1000mm deep. Five outlet position options available.











Frameless Screens

Explore our beautiful frameless screens and components.

Atlantis' range of glass screens, quality hardware and installation kit all fit together as part of a seamless, integrated system.

We provide a prepackaged system from a single source; this means that you only have to deal with one company for a total solution.


- European Standard toughened safety glass including CristalVision nano-coating.
- Polished chrome top brace and blocks
- Polished chrome over brass self-centering hinges, with soft close mechanism
- Stainless steel handles and sliding rollers
- 3-wall screens can be reversed
- Supplied with vertical and bottom door seals

Frameless Screens Foundry Series Hardware Upgrade Upgrade your shower hardware with our range of stunning new finishes. Aged & Polished Brass, Brushed Gold, Brushed Nickel, Gunmetal and Matte Black. See Pg. 57 for options.





Frameless Screens - sizes and screen configurations



900 x 900	AFS-2W-9X9	
1000 900	AFS-2W-10X9	
1100 900	AFS-2W-11X9	AFS-2W-SL-11x9
1200 900	AFS-2W-12X9	AFS-2W-SL-12x9
1300 900	AFS-2W-13X9	AFS-2W-SL-13x9
1400 900	AFS-2W-14X9	AFS-2W-SL-14x9
1500 900		AFS-2W-SL-15x9
1600 900		AFS-2W-SL-16x9
1700 900		AFS-2W-SL-17x9
1800 900		AFS-2W-SL-18x9
1900 900		AFS-2W-SL-19x9
2000 900		AFS-2W-SL-20x9
900 x 1000	AFS-2W-9X1	
1000 1000	AFS-2W-10X1	
1100 1000	AFS-2W-11X1	AFS-2W-SL-11x1
1200 1000	AFS-2W-12X1	AFS-2W-SL-12x1
1300 1000	AFS-2W-13X1	AFS-2W-SL-13x1
1400 1000	AFS-2W-14X1	AFS-2W-SL-14x1
1500 1000		AFS-2W-SL-15x1
1600 1000		AFS-2W-SL-16x1
1700 1000		AFS-2W-SL-17x1
1800 1000		AFS-2W-SL-18x1
1900 1000		AFS-2W-SL-19x1
2000 1000		AFS-2W-SL-20x1

3-WALLED SHOWERS			10	
SIZE (mm)	2030mm HIGH CONTEMPORARY FRAMELESS	ENCLOSED HINGED 3 PANEL DOOR HR-C	2120MM HIGH NAKED FRAMELESS	ENCLOSED SLIDING DOOR SL

WIDTH		
900	AFS-3W-9	
1000	AFS-3W-10	
1100	AFS-3W-11	AFS-3W-SL-11
1200	AFS-3W-12	AFS-3W-SL-12
1300	AFS-3W-13	AFS-3W-SL-13
1400	AFS-3W-14	AFS-3W-SL-14
1500	AFS-3W-15	AFS-3W-SL-15
1600	AFS-3W-16	AFS-3W-SL-16
1700	AFS-3W-17	AFS-3W-SL-17
1800	AFS-3W-18	AFS-3W-SL-18
1900	AFS-3W-19	AFS-3W-SL-19
2000	AFS-3W-20	AFS-3W-SL-20

All 3-wall screens	can be reversed	L	R

3-WALLED AND				
2-WALLED FIXED PANEL	ESS			
Ē	HIGH			
SIZE (mm)	2120MM NAKED FI	WALK-IN FIXED PANEL FX1	WALK-IN FIXED PANEL FX1	
MIDTH				

WIDTH	
570	AFS-FX-570
670	AFS-FX-670
870	AFS-FX-870
970	AFS-FX-970
1070	AFS-FX-1070
1170	AFS-FX-1170
1270	AFS-FX-1270
1370	AFS-FX-1370

Sizes listed are nominal measurements only.

The finished shower may be up to 25mm smaller than the sizes listed.







Finishes

Add the final touches to your shower with Atlantis' finest finishes, including Ellure™ Tile Look Walls, Linea Quattro™ Architectural Finishes & Foundry Series.





Ellure[™] Tile Look Walls

Immerse yourself in the beauty of Ellure[™].

Create a bathroom with the clean lines and luxury look of tiles, but enjoy the ease of an acrylic wall. The EllureTM Tile Look Wall features sleek horizontal lines etched into a crisp white acrylic surface, with an optional feature panel in gloss black to enhance tapware. Compatible with all Atlantis shower bases and screens, the 2400mm high EllureTM walls are scaleable, creating infinite possibilities in sophisticated style.

- Solid acrylic wall surface, 5mm thick
- Elegant 3mm satin waterproofing joiner strips with large waterproofing flanges hidden behind the wall panels
- Upgraded corner extrusion for guaranteed watertightness in high-risk areas
- 2400mm wall height, almost limitless width for all Atlantis shower sizes
- Optional centred 150mm wide vertical feature panel

- Easy installation, with no special building consent required
- Compatible with all Atlantis base and screen options and Retro-fit EasyNiche
- One site visit for complete installation
- No waterproofing required
- No grout or visible silicon
 - Easy to clean surface, simply wipe down.

© Copyright and all other intellectual property rights of the Ellure™ tile look wall are claimed and reserved. All wall designs are registered designs. Registered Design No's 416225, 416226, 416521, 416526, 416527, 417653, 417663, 418818, 419198, 419200, 419201, 419199.








Ellure[™] Tile Look Walls - two wall options


Up to 1200mm wide



FEATURE SIMPLY WHITE


Centred feature panel available on left or right side.

1201mm to 1500mm wide



Centred feature panel available on left or right side.

Over 1501mm wide



Centred feature panel or 3mm aluminium joiner strip available on 1501mm side.

Ellure™ Feature Panel options

Customise your shower or make a statement of your tapware with an $Ellure^{TM}$ Feature Panel.







Gloss White



Ellure[™] Tile Look Walls - three wall options



Over 1501mm wide



FEATURE

Centred feature
panel or 3mm
aluminium
waterproofing joiner
strip available on
back panel.

Atlantis Ellure[™] Simply White Sheets

Ellure[™] Simply White Sheets can be supplied to carry on throughout a bathroom beyond your shower, or for above/surrounding a bath. Available at 2400 high x 1200 wide and include discreet internal waterproofing and joiner connections.



Linea Quattro[™] Architectural Finishes

Explore our range of premium surfaces for your stunning Linea Quattro[™] channel drain shower base. Available as an optional upgrade with any Linea Quattro[™] shower base. Architectural finishes are factory-fitted and an excellent alternative to on-site tiling of the shower floor.



White Liberettostone™

Solid LiberettoStone $^{\text{TM}}$ in beautiful white. Simply stunning.



Terra Liberettostone™

Add a natural earthy feel to your bathroom with the Terra architectural finish.



Black Liberettostone™

Achieve a slot drain effect with minimalist, moody and striking jet black.



Nero Liberettostone™

As intriguing as the night sky. Combines dark greys and browns with hints of white throughout.



Stainless Steel Polished or Brushed

This industrial look combines perfectly with polished concrete.



Alabaster Porcelain Slab

Alabaster adds a chic and contemporary touch to any shower.

Note: Architectural finishes are made of engineered LiberettoStone $^{\text{m}}$ and may have natural imperfections, adding uniqueness to your finished product. Linea Quattro shower bases are white, with Architectural Finishes being factory-fitted over this white surface.

Patent No. 631776.











Foundry Series

A selection of the finest hardware finishes, built on a stunning Matte Black foundation.

Set on Atlantis' market-leading matte black base finish – consisting of glazing channels and top brace – upgrade your shower with the highest quality hinges, handles and rollers in Aged & Polished Brass, Brushed Nickel, Brushed Gold, Gunmetal and Matte Black.

All finishes are PVD other than Living Finishes (Aged & Polished Brass).



Polished Brass Hinging/Sliding Hardware on Matte Black glazing channels & top brace



Aged Brass Hinging/Sliding Hardware on Matte Black glazing channels & top brace



Brushed Gold Hinging/Sliding Hardware on Matte Black glazing channels & top brace



Brushed Nickel Hinging/Sliding Hardware on Matte Black glazing channels & top brace



Gunmetal Hinging/Sliding Hardware on Matte Black glazing channels & top brace



Matte Black Hinging/Sliding Hardware on Matte Black glazing channels & top brace

Note: Living Finishes will continue to age and patina over time. A polished brass finish can be maintained with Brasso or similar brass cleaner. Angle Front & Fixed Panel showers are available in Matte Black only. Foundry Series Showers are custom made, and therefore non-returnable.

Please see next page for Foundry Series in context.





Foundry Seri











Accessories

Explore EasyNiche[™],
Recessed Towel Warmer,
Purelite Mirrors and
Ebony & Ivory Collection[™]
Baths, Vanities and Cabinets.







EasyNiche™

Adding the stunning finishing touches.

To add that final touch of finesse to your bathroom, Atlantis have developed a beautiful range of complimentary products.

EasyNiche[™] – the Atlantis recessed product shelf, creates vital storage space inside your shower enclosure, without compromising aesthetics.

EasyNiche[™] Recessed Towel Warmer – this new design combines the traditional EasyNiche[™] recess with a heated towel rail. With design in mind the towel warmer helps maintain clean lines in any bathroom environment.

EasyNiche[™] Aura Shelf – the new recessed storage shelf that provides a simple and practical solution to the recurring problem of a lack of storage space in modern bathrooms. Combine with the Recessed Towel Warmer for the ultimate duo in bathroom storage.

Experience an evolution in bathroom style with superior shower solutions, and well crafted, design led bathroom accessories by Atlantis.

EasyNiche Registered Design No. 415619, 415620, 418228. Towel Warmer Patent No. 626027.







EasyNiche™

Adding the stunning finishing touches.

To add that final touch of finesse to your bathroom, Atlantis have developed a beautiful range of complimentary products.

EasyNiche[™] – the Atlantis recessed product shelf, creates vital storage space inside your shower enclosure, without compromising aesthetics.


EasyNiche[™] Recessed Towel Warmer – this new design combines the traditional EasyNiche[™] recess with a heated towel rail. With design in mind the towel warmer helps maintain clean lines in any bathroom environment.

EasyNiche[™] Aura Shelf – the new recessed storage shelf that provides a simple and practical solution to the recurring problem of a lack of storage space in modern bathrooms. Combine with the Recessed Towel Warmer for the ultimate duo in bathroom storage.

Experience an evolution in bathroom style with superior shower solutions, and well crafted, design led bathroom accessories by Atlantis.

EasyNiche Registered Design No. 415619, 415620, 418228. Towel Warmer Patent No. 626027.





Accessories
EasyNiche", Purelite'
Mirrors and Ebony &



EasyNiche™

Enhance your shower with a selection of tile-over, exposed or retro-fitted recessed product shelves and footrests.

Tile-over EasyNiche™


The tile-over EasyNiche™ is made to last for the life of your tile shower. A one-piece standalone unit, EasyNiche™ is 100% waterproof and comes with a 25-year warranty against leaks. Available in 10 convenient shelf sizes and a matching footrest. EasyNiche™ can be installed with any compliant waterproofing (using the simple self-adhesive connection tape supplied – see steps on next page). EasyNiche™ comes in a complete kit with installation materials included, and is designed to be tiled over.

Exposed/Tile-in EasyNiche™

The stylish exposed/tile-in EasyNiche[™] is prefinished in white gloss and is recessed into tiled walls before tiling. Simply tile up to the lip. Solid one-piece construction, 100% waterproof and includes a 7-year durability warranty. All installation materials are supplied.

Retrofit EasyNiche™


Create space in your shower with a non-tiled recessed EasyNiche™ available in gloss white or matte black finish. Simply retro-fit into a wall liner or Ellure tile look walls, and enjoy the functional and elegant finish of a Retrofit EasyNiche™. Solid one-piece construction, 100% waterproof and includes a 7-year durability warranty. All installation materials are supplied.







Tile-over EasyNiche[™] - shelf sizes, specifications & installation overview



SMALL RECTANGLE

FOOT REST

LARGE RECTANGLE

OVERALL TILE LENGTH	RECESS SIZE (mm)	CODE
1500mm	1540 x 340	EN1500
1200mm	1240 x 340	EN1200
900mm	940 x 340	EN900
750mm	790 x 340	EN750












Overview Only. See installation instructions for full method.





SMALL RECTANGLE

OVERALL TILE LENGTH	RECESS SIZE (mm)	CODE
600mm	640 x 340	EN600
500mm	540 x 340	EN500
450mm	490 x 340	EN450
350mm	390 x 340	EN350
200mm	240 x 340	EN200

SQUARE


OVERALL TILE LENGTH	RECESS SIZE (mm)	CODE
300mm	340 x 340	EN300

OVERALL TILE LENGTH	RECESS SIZE (mm)	CODE
140mm	180 x 120	EN140F

For a more in-depth look, please view our instructional video at atlantis.co.nz

- One-piece lightweight construction made from rigid HIPS composite.
- 100% waterproof.
- Immediately ready-to-tile (once interlayer is applied).
- Built-in gradient prevents water ponding.
- · Compliant with NZ Building Code and AS3740.
- Fits into 90mm wall cavity.
- 65mm waterproofing flange.
- · Suitable for horizontal or vertical installation (except footrest).

- Suitable for all wallboards (recommended 6mm minimum).
- Supplied with self-adhesive reinforcement band for connection to wallboard and waterproofing.
- Must be installed prior to wallboard, and requires additional framing for correct
- Supplied with installation materials.
- 25-year durability and leak-free warranty.




For ceramic tiled walls.



EasyNiche Registered Design No.415619, 415620.



Exposed/Tile-in EasyNiche[™] - shelf sizes, specifications & installation overview



- One-piece lightweight construction made from rigid PMMA.
- Gloss white surface.
- Available in one size 400mm x 300mm.
- Suits tiles up to 12mm thick.
- Built in gradient prevents water ponding.
- 65mm waterproofing flange.
- Must be installed prior to wallboard and requires additional framing.
- Supplied with installation materials.
- 7-year warranty.









Overview Only. See installation instructions for full method.



For a more in-depth look, please view our instructional video at atlantis.co.nz



Retrofit EasyNiche[™] - shelf sizes, specifications & installation overview



RETRO-FIT NICHE

OPTION	CODE
400 x 300 Gloss White	EN400RF-W
400 x 300 Gloss Black	EN400RF-B
400mm x 300mm 20mm	
	87mm
For acrylic wall liner or Ellure™	






OPTION	CODE
165 x 225 Gloss White	EN140F-RF-W

 165 x 225 Gloss White
 EN140F-RF-W


 165 x 225 Gloss Black
 EN140F-RF-B



For acrylic wall liner or Ellure[™] Tile Look Walls.











Overview Only. See installation instructions for full method.



For a more in-depth look, please view our instructional video at ${\bf atlantis.co.nz}$

- One-piece lightweight construction made from rigid PMMA in Gloss White or Black
- Available in two sizes Product Niche 400mm x 300mm or Footrest 165mm x 225mm overall
- Designed to be installed in 'existing' shower wall/liner.
- Protrudes 6mm from wall surface finish.
- Product Niche can be installed horizontally or vertically.
- Built in gradient prevents water ponding.
- Supplied with installation materials.
- 7-year warranty.








EasyNiche[™] Recessed Towel Warmer

The simplicity and practicality of EasyNiche[™] in a towel rail.

Towel rails can now fit with the sleek lines and minimalist aesthetic of any bathroom, with the EasyNiche[™] Recessed Towel Warmer. Safe and efficient 12V heating. Water-resistant and suitable for accessible bathrooms. Fits into 90mm wall cavity.

Available in two sizes in either black or white recess, with stainless steel rails.



EasyNiche[™] Towel Warmer Registered Patent No. 626027.




EasyNiche[™] Aura Shelf

Create a storage shelf quickly and easily with the EasyNiche $^{\text{\tiny TM}}$ Aura Shelf.

Place above a bath, beside a vanity, or pair with the EasyNiche[™] Recessed Towel Warmer for the ultimate duo in bathroom storage. Water-resistant and suitable for accessible bathrooms. Fits into 90mm wall cavity. Includes 2 panels of safety glass and clamping blocks.

Available in black or white.





Accessories
EasyNiche", Purelite
Mirrors and Ebony &



Purelite[™] Mirror

Enhance your bathroom, adding light and form, now with new sizes and circular options available. Featuring a touchactivated LED perimeter and in-built demister. Includes safe and energy efficient 12 volt transformer.

Finishes

Available in solid black or white LiberettoStone™.



Matte White




Matte Black

Square/Rectangle Sizes

Available at 600, 750, 900, 1000 1200, 1500 and 1800 wide.

600 / 750 / 900 / 1000 / 1200 / 1500 / 1800



Circular Sizes

Available at 600, 750, 1000 and 1200 diameter.

600 / 750 / 1000 / 1200



□ 1 40

Purelite[™] Mirror Registered Design No's. 418918, 418919.







Scherzo



Seamless channel drain vanity with double/triple drawer. Includes effortless Blum® soft-close drawer system and accessible pop-up outlet.

Finishes

Available in white LiberettoStone[™] top and drawer fronts, with two options of timber detailing on the side faces and behind the handles.




Light Oak



Dark Oak

Sizes

Available at sizes 900, 1000 1200, 1500 and 1800 wide.



900 / 1000 / 1200 / 1500 / 1800

Basin positions

On the 1200 option only, the basin can be located in the centre, LH or RH side.



Double basin option available on 1500 and 1800 wide vanities only.



^{*}Tap hole to be drilled on site (if required). Drill bit supplied.



Rubato

Bench with fine top edge. Elegant plane lines lead water to the pop-up outlet.



Finishes

Available in white LiberettoStone[™] top, with two options of timber detailing on the front and side faces.



Light Oak




Dark Oak

*Tap hole to be drilled on site (if required). Drill bit supplied.

Sizes

Available at sizes 900, 1000, 1200, 1500 and 1800 wide.

900 / 1000 / 1200 / 1500 / 1800





Rococo

Thin waterplane slab bench with unique invisible drainage system.



Finishes

Available in gloss black or satin white LiberettoStone™.



Matte White




Gloss Black

Sizes

Available at sizes 900, 1000, 1200, 1500 and 1800 wide.

900 / 1000 / 1200 / 1500 / 1800





^{*}Tap hole to be drilled on site (if required). Drill bit supplied.



Staccato

Small basin and drawer. Simple channel drain for seamless drainage. Includes effortless Blum® soft-close drawer system.



Finishes

Available in white
LiberettoStone[™] top, and
drawer fronts, with two options
of timber detailing on the side
faces and behind the handle.



Light Oak




Dark Oak

Reversible basin allows for tapware on LH, RH or above basin. Tap hole to be drilled on site (if required). Drill bit supplied.

Sizes

Available at sizes 500 and 750 wide.





Verismo

Vertical storage cabinet. Includes effortless Blum $^{\otimes}$ soft-close drawer system.



Finishes

Available in white LiberettoStone™ fronts, with two options of timber detailing on the side panels and behind the handle.



Light Oak




Dark Oak

Reversible cabinet which allows doors to swing to LH or RH side.

Sizes

Available at 1200 tall only.







Sonata

The Sonata bath adds beautiful minimalist curves to the typically square and geometrical lines of modern bathrooms. Includes pop-up waste and overflow drain.


Finishes

Available in solid white $LiberettoStone^{TM}$ only.



Sizes

Available at 1700 long only



Accessories
EasyNiche¹², Purelite¹²
Mirrors and Ebony &
Ivory Collection²³



Presto

The egg-shaped Presto bath embodies the essence of Ebony & Ivory Collection™. With the option of black and white intertwined, this bath is both simple and dramatic. Includes pop-up waste and overflow drain.


Finishes

Available in white LiberettoStone[™] inside and top edge, with the option of black or white around the bath exterior/outside.



Sizes

Available at 1700 long only.





Accessories
EasyNiche", Purelit





Renaissance

A beautiful, chunky and comfortable bath. The Renaissance combines height and curves with a sharp plunging profile, setting it apart from the rest. Includes pop-up waste and overflow drain.


Finishes

Available in solid white LiberettoStone $^{\mathsf{TM}}$ only.



Sizes

Available at 1700 long only.



Accessories
EasyNiche¹²⁶, Purelite¹²⁷
Mirrors and Ebony & Ivory Collection¹²⁷



Octave

The Octave is bold and edgy, lending itself to a modern minimalist bathroom. It's sharp lines and broad edges create dramatic impact. Includes pop-up waste and overflow drain.


Finishes

Available in white LiberettoStone[™] only.




Sizes

Available at 1800 long only.











Technical

Get to know our products inside and out with our technical guides and specifications



Atlantis product warranties

Atlantis Bathroom Style Ltd ("the company") warrants that products or product components manufactured and distributed by the company:

- Meet or exceed the standard requirements of the New Zealand Building Code; and
- Will be free from inherent defects in materials and workmanship for the extended warranty period applicable to the Product (see below).



LEAK-FREE WARRANTY

When the shower components are installed in accordance with the manufacturer's instructions, Atlantis Bathroom Style Ltd warrants that the tile-over shower base will not allow water leakage* into the building structure for a minimum period of 25 years. *Water leakage excludes surface splashes.

The liability of the company is limited to the replacement of products (or system components) for an equivalent product, and the installation thereof provided the product or component is declared defective by an authorised representative of the company.

The company will not be liable for any damages or losses beyond the installation of replacement products as originally supplied. Under no circumstances will the company be liable for consequential or incidental damages related to the use of this product.

DO NOT install a damaged or defective product. Use only the primers, adhesives and silicon sealants supplied with this product, as directed, for the installation of this product.

Apply an approved waterproofing membrane, to the walls. Use only the recommended tile adhesives compatible with selected membrane. Failure to comply may deem this warranty void.

This warranty will not apply where the Products have been improperly installed, have been misused or proof of purchase cannot be provided. The leak-free warranty may not apply where the warranty claim has not been notified to the company within 90 days of the problem first appearing or where any system component is substituted without the company's express agreement.

INSTALLATION WARRANTY

As offered by your independent contractor/installer. An Atlantis recommended installer should offer a minimum 5-year installation guarantee for workmanship. Please check before proceeding with any part of this installation.

Please note: Atlantis product warranties apply regardless of who installs the product. Installation warranty not offered by Atlantis.


For full details and terms and conditions of warranty please refer to our website – www.atlantis.co.nz/warranty

Note: Atlantis reserves the right to change product specifications without notice to other parties.



Essential structure


Atlantis shower bases are unlike any other. Already waterproof, the one-piece preformed base is designed for perfect water drainage, leaving no chance for water to escape other than where directed. The Linea Quattro $^{\text{m}}$ shower base, essential structure is shown in the diagram below.



- 1. One piece shower base
- 2. Channel drain
- 3. Stainless steel drain cover
- 4. Waste outlet 40mm easy clean
- 5. Wall glazing channels
- 6. (Optional) EasyNiche™ accessory
- 7. Base glazing channels (factory installed)
- 8. Screens.

Waterproofing

The 100% waterproof Atlantis shower base and connection tapes are compliant with the requirements of the New Zealand Building Code. The shower system is compatible with any compliant waterproofing membrane used on the walls and for the rest of the bathroom floor.



- 1. One piece shower base
- 2. Channel drain and stainless steel grate
- 3. Easy clean waste

- 4. Glazing channels
- EasyNiche[™] accessory
- 6. Liquid waterproofing (by others).



Linea Quattro[™] shower system specifications

SHOWER BASE

- Structurally solid pre-formed base made of tough FRP material, already 100% waterproof.
- May be installed to achieve a stepless shower floor or simply placed on an existing floor for low step entry.
- 100mm high upstand from floor for secure connection to wall membrane.
- Factory-fitted glass receiver channels on base.
- Guaranteed fall (1:80) to waste.
- Single plane to channel drain surface accepts tiles up to 12mm thick (standard).
- Weight: 16kg/m².

CHANNEL DRAIN & WASTE

- Integral channel drain located at side or back.
- 40/50mm easy clean trap.
- Minimum flow rate 40 litres per minute.
- Stainless steel drain cover.

PRECISION-FIT NAKED FRAMELESS SCREENS

- 8mm toughened safety glass.
- CristalCote nano-coating factory-applied.
- Hinged door option complete with chrome/stainless steel handles, solid brass hinges and fixing materials.

- Sliding door option complete with stainless steel handles, roller assemblies and installation materials.
- Walk-in fixed panel options available in most sizes.
- Satin anodised wall glass receiver channels incorporate mechanical glass locking system and are machined to lock with base channels.
- High strength chrome top rail brace at 2000mm high above base.
- Screens supplied at 2120mm overall height.

WATERPROOFING

- Optional-Essential Connection Waterproofing Tapes available for the secure connection of the wallboard to the base upstand and from the base perimeter to the floor. Included with this optional package is a base adhesion layer.
- Compatible with all compliant liquid waterproofing products


INSTALLATION

Atlantis recommends installation of Linea Quattro™ showers is undertaken by a recommended Atlantis installer. See website or call 0800 428 526 for more details.




Illustration of 2-walled Linea Quattro™ shower showing sliding door.

BASE PROFILE STEP ENTRY ON ANY FLOOR STRUCTURE



BASE PROFILE LEVEL ACCESS IN A TIMBER FLOOR





Ebony & Ivory[™] shower system specifications

SHOWER BASE (Non-tiled base)

- One piece preformed LiberettoStoneTM construction for durable performance.
- LiberettoStone™ is a unique material comprising of stone and resin properties, this is then handcrafted and moulded into our Ebony & Ivory Collection products.
- Structurally strong across entire base and outlet will not deflect or compress.
- Wall junction upstand 100mm high.
- Base height 35mm maximum from floor to top of base.
- Weight: 45kg/m².
- 7 year leak-free and durability warranty.
- Base available in Black (Ebony) or White (Ivory) finish.

WATERPROOFING

- Optional-Essential Connection Waterproofing Tapes available for the secure connection of the wallboard to the base upstand and from the base perimeter to the floor.
- Compatible with all compliant liquid waterproofing products.

WASTE FITTING

- Waste 40mm direct flow vertical waste outlet.
- Maximum flow rate 40 litres per minute.

FRAMELESS SCREENS

- 8mm toughened safety glass.
- CristalCote nano-coating factory-applied.
- Satin anodised wall glass receiver channels incorporate mechanical glass locking system and are machined to interlock with base channels.
- Hinged door option complete with stainless steel handles, solid brass soft closing hinges at 2120mm high.
- Chrome top rail brace included with hinged system.
- Sliding door option complete with stainless steel handles, fully adjustable s/s roller assembly and installation materials.
- Sliding screens and fixed panel supplied at 2120mm overall height.

INSTALLATION

Atlantis recommends installation of Ebony & IvoryTM showers is undertaken by a recommended Atlantis installer. See website or call 0800 428 526 for more details.

BASE PROFILE LEVEL ACCESS IN A TIMBER FLOOR



Illustration of 2-walled Ebony & Ivory™ shower showing hinged door.

BASE PROFILE STEP ENTRY ON ANY FLOOR STRUCTURE

Wallboard Wallhoard Toughened safety glass Waterproofing over essential waterproofing conn. tape Waterproofing over essential waterproofing conn. tapes Toughened safety glass Base channel Extra No Base channel Bathroom floor tiles Upstand Jpstand 100mm rom floor Floor level -150mm waste outlet Additional Floor connection angle waste outlet flooring supports between joists shower base to the bathroom floor



EasyTile[™] shower system specifications

EASYTILE[™] BASE (TILING TRAY)

- One-piece pre-moulded base made of tough FRP composite already 100% waterproof.
- Guaranteed fall to waste 1:80.
- Square tile-in drain outlet located at centre.
- Wall junction upstand 85mm high from floor.
- Seepage ports incorporated with drain.
- No floor structural modifications required.
- Shower base comes with factory-fitted glazing channels.
- Weight: 21kg/m².

WATERPROOFING

- Optional-Essential Connection Waterproofing Tapes available for the secure connection of the wallboard to the base upstand and from the base perimeter to the floor. Included with this optional package is a base adhesion layer.
- Compatible with all compliant liquid waterproofing products.

FRAMELESS SCREENS

- 8mm toughened glass screens at 1960mm high.
- Satin anodised wall glass receiver channels incorporate mechanical glass locking system and are machined to lock with base channels.

WASTE FITTING

■ 40mm easy clean fitting

HARDWARE

- Polished stainless steel door handles supplied with all systems. E handle standard.
- Adjustable bracing system catering for uneven walls, incorporating up to */-10mm installation tolerance.
- Chromed, solid brass self-centering hinges.


INSTALLATION

 Atlantis recommends installation of EasyTile[™] showers are undertaken by a qualified shower installer.
 See website or call 0800 428 526 for more details.



Illustration of 2-walled EasyTile™ shower with hinged door.

BASE PROFILE STEP ENTRY ON ANY FLOOR STRUCTURE





Black Pearl[™] shower system specifications

BLACK PEARL[™] SHOWER TRAY

- One-piece tray manufactured from tough FRP with an acrylic surface for durable performance.
- Structurally strong across entire base and outlet will not deflect or compress.
- Built-in outflow gradient ensures optimum water flow to outlet. Minimum 12mm fall to outlet.
- Wall junction upstand 100mm high from floor.
- Base height 30mm from floor to top of base
- Waste outlet is located at rear on most sizes, 175mm from rear wall. Some sizes have centre-located waste option.
- Weight: 21kg/m².
- 7 years leak-free and durability warranty.

SHOWER WALL - OPTIONAL

Acrylic wall liner or Ellure™ tile look wall.

WATERPROOFING

- Optional-Essential Connection Waterproofing Tapes available for the secure connection of the wallboard to the base upstand and from the base perimeter to the floor.
- Compatible with all compliant liquid waterproofing products.

FRAMELESS SCREENS

- Satin anodised wall glass receiver channels incorporate mechanical glass locking system and are machined to lock with base channels.
- CristalCote nano-coating factory-applied.
- 8mm toughened glass screens at 2060mm high.

WASTE FITTING

- Waste fitting 40mm easy clean waste with side outlet and stainless steel top.
- 5 year manufacturer's warranty.

HARDWARE

- Polished stainless steel door handles supplied with all systems. E handle standard. Upgrades available.
- Adjustable bracing system catering for uneven walls, incorporating up to 10mm installation tolerance.
- Chromed, solid brass self centering hinges.


INSTALLATION

Atlantis recommends installation of Black Pear[™] showers is undertaken by a qualified shower installer. See website or call 0800 428 526 for more details.



Illustration of 2-walled Black Pearl™ shower showing hinged door.

BASE PROFILE STEP ENTRY ON ANY FLOOR STRUCTURE



Specifications subject to change without notice. Please check www.atlantis.co.nz for latest version.

Note: Alternative manufacturing methods are used on some sizes.



Quub[™] shower system specifications

QUUB[™] BASE

- One-piece pre-moulded base made of tough FRP composite already 100% waterproof.
- Guaranteed fall to waste 1:80.
- Square acrylic drain outlet located at centre.
- Wall junction upstand 85mm high from floor.
- Seev ports incorporated with drain.
- No floor structural modifications required.
- Shower base comes with factory-fitted glazing channels.
- Weight: 21kg/m².

FRAMELESS SCREENS

- 8mm toughened glass screens at 1960mm high.
- Aluminium wall glass receiver channels incorporate mechanical glass locking system and are machined to lock with base channels.

WASTE FITTING

40mm Easy Clean fitting

HARDWARE

- Stainless steel door handles supplied with all systems.
 E handle standard.
- Adjustable bracing system catering for uneven walls, incorporating up to */-10mm installation tolerance.
- Solid brass self-centering hinges.

INSTALLATION

 Atlantis recommends installation of Quub[™] showers are undertaken by a qualified shower installer.
 See website or call 0800 428 526 for more details.



BASE PROFILE STEP ENTRY ON ANY FLOOR STRUCTURE

Illustration of 2-walled Quub™ shower with hinged door.





Frameless Screens specifications


FRAMELESS SCREENS

- 8mm toughened safety glass.
- CristalCote nano-coating factory-applied.
- Satin anodised wall glass receiver channels incorporate mechanical glass locking system and are machined to interlock with base channels.
- Hinged door option complete with stainless steel handles, solid brass soft closing hinges at 2120mm high.
- High strength chrome top rail brace included with hinged system.
- Sliding door option complete with stainless steel handles, fully adjustable sealed stainless steel roller assembly and installation materials.
- Chrome top brace system.
- Sliding screens and fixed panel supplied at 2120mm overall height.

INSTALLATION

ENCLOSED HINGED DOOR HR

Atlantis recommends installation of shower screens is undertaken by a qualified shower installer. See website or call 0800 428 526 for more details.










Illustration of 2-walled shower showing hinged frameless screens.

For more details and exact measurements, enquire online at www.atlantis.co.nz



Linea Quattro[™] order form

Date:					Order #:								Optional essential v	vaterproofir	ıg
Merchant:					Contact:								connection tapes	. 1 1	
										ON GAZ			Suits up to 12mm th		
													Architectural finish an optional extra	available as	í
CHANNEL DRA	IN COVER:	PLAIN	SLOTTED	TILE INS	ERT ENTI	RY OP	TIONS: LEVE	L ENTRY	STEP ENT	RY			an optional extra		
							1	REFER	TO PG. 82 FOR IN	NFO					
3-WALLED SHO		OMM DEEP					SS								
O WALLED SITE	WERO						2140mm HIGH FRAMELESS	=	lo lo	4					
W							FRA			n			l. T		
				z			<u> </u>			Ш					
			Ê	DRA		1	Ŧ L						ф		
BACK DDAIN BOX	I AOITIO	NAME	SIZE (mm)	BACK DRAIN			ENCLOSED	HINGED	ENCLOSED SLID	ING	WALK-IN FIXE	:D	ENCLOSED HINGED		
BACK DRAIN PO	3111ON	≥	SIS	B/8			5 DOOR	HZ	DOOR SL		PANEL FX		DOOR HR		
			WINTLL DENTIL		BASE PACKAGE		0005		0005	BA	ASE AND SCREENS PA	ACKAGE	0005		
Fit in plac	e of	PRAGUE	WIDTH DEPTH		CODE LQ-PRA		CODE PRA-HZ		CODE		CODE		CODE PRA-HR		
FIT III PIGE	, C	DALLAS	1000 x 800		LQ-PRA	旹	DAL-HZ	-					DAL-HR		
a bath	1	BEIJING	1100 x 800	<u> </u>	LQ-BEI		BEI-HZ		BEI-SL				BEI-HR		
	ST	ОСКНОІМ	1200 x 800		LQ-STO		STO-HZ		STO-SL		STO-FX		STO-HR		
		LINCOLN	1300 x 800		LQ-LIN		LIN-HZ		LIN-SL				LIN-HR		
		MOSCOW	1400 x 800		LQ-MOS		MOS-HZ		MOS-SL		MOS-FX		MOS-HR		
	WA	SHINGTON	1500 x 800		LQ-WAS		WAS-HZ		WAS-SL		WAS-FX		WAS-HR		
		BUDAPEST	1600 x 800		LQ-BUD		BUD-HZ		BUD-SL				BUD-HR		
		MSTERDAM	1700 x 800		LQ-AMS		AMS-HZ		AMS-SL				AMS-HR		
	COI	PENHAGEN	1800 x 800		LQ-COP		COP-HZ		COP-SL			<u> </u>	COP-HR		
		HAVANA	1900 x 800		LQ-HAV		HAV-HZ		HAV-SL	<u></u>		<u> </u>	HAV-HR		
		SEOUL	2000 x 800		LQ-SEO		SEO-HZ		SEO-SL		SEO-FX		SEO-HR		
								1-1	1	4	day.				
3½-WALLED SHC	OWERS	1000MM DEEP					Linea	Quattr	O [™]		SUDI	ING DO	OOR SCREENS: L	н П	RH
w	_						Archit	ectural	Finishes	P. Carlotte			ate fixed panel side		
			Ê	Z Z		1	4 2 10	di talang	10	1	11000	0 11 1010	are interparter trae	`	_
□ ≪		NAME	SIZE (mm)	LH DRAIN RH DRAIN			Use or	der for	m on Pg 10	0.	FIXE	D PANE	EL (FX) OPTION:	н 💹 📙	RH
	I _	ž	SIS	프			_	401 101	on 18 10	•	Pleas	se indico	ate fixed panel side 🖪	← -	→
70					BASE PACKAG	E	A James	0	1 18						
LH DRAIN POSI W	IION		WIDTH DEPTH		CODE		_			_					
		NAGOYA	1400 x 1000				_				FOUNDRY SERIE	S HARD	WARE UPGRADE		
		DMONTON	1500 x 1000				_			-					
		ORLANDO	1600 x 1000				_						POLISHED BRASS	UPGRADE-	PB 🔲
700		HONOLULU	1800 x 1000		LQ-HON		_						AGED BRASS	UPGRADE-/	
700 RH DRAIN POSI	ITION												BRUSHED GOLD	UPGRADE-E	
	3		hower bases do fully walk-in.	not come v	vith screens and	are or	nly						BRUSHED NICKEL	UPGRADE-E	BN 🔲
No glas	a <i>ب</i> ر	vanabit as	idily walk-iil.								-		GUNMETAL	UPGRADE-G	
													MATTE DI A OK	LIDODADEA	4B 🗖

A Base Package includes a tileover base with a channel drain, drain cover and waste.

^{*} Please see Pg. 57 for all Foundry Series information, including T&Cs.

Linea Quattro™ order form



Date:					Order #:						9	SLIDING	DOOR SCREE	NS:	LH П	RH
Merchant:					Contact:						F	Please in	ndicate fixed po	anel side	←	<u></u>
											— I,	IVED D	ANEL (EV) OR	ION.		
										n Beigna	1		ANEL (FX) OPT ndicate fixed po		LH L	L RH
CHANNEL DRAIN	COVER: PLAIN	SLOTTED	TIL	E INSE	ENTRY	OPTION	IS: LEVEL I	ENTRY	STEP ENTR	Υ _]	iease ii	idicare lixed po	11 101 3100		
								REFER	R TO PG. 82 FOR INF	0	1000					
							v,			A						
3-WALLED SHOWE	RS 900MM DEEP						FRAMELESS			4						
W	1						RAR	Ĭ								
a Ø —				z						•			u u			
		(mm)	≥	IN SKALL		1	Ξ E						ф			
	DN Z	E (B)	LH DRAIN	RH DRAIN BACK DRAIN		/	ENCLOSED DOOR	HINGF	D ENCLOSED SI	IDING	WALK-IN FI	XFD	ENCLOSED HING	∋FD		
LH DRAIN POSITIO	N 2	SIZE	프	E A			DOOR	HZ	DOORS	iL	PANEL F	X	DOOR HR			
w					BASE PACKA	.GE				BA	ASE AND SCREEN	S PACKA				
		WIDTH DEPTH			CODE		CODE		CODE		CODE		CODE			
	ROME	900 x 900			LQ-ROM		ROM-HZ						ROM-HR			
	TURIN	1000 x 900	Ш		LQ-TUR		TUR-HZ		71.10.01				TUR-HR			
RH DRAIN POSITIO	ZURICH	1100 x 900			LQ-ZUR		ZUR-HZ	<u> </u>	ZUR-SL	<u> </u>	DED EV		ZUR-HR	<u> </u>		
w	BERLIN VIENNA	1200 x 900 1300 x 900			LQ-BER		BER-HZ	<u></u>	BER-SL		BER-FX		BER-HR			
	SANTIAGO	1400 x 900			LQ-VIE LQ-SAN		VIE-HZ SAN-HZ		VIE-SL SAN-SL		VIE-FX SAN-FX		VIE-HR SAN-HR			
A .	BARCELONA	1500 x 900			LQ-BAR		BAR-HZ	-	BAR-SL		BAR-FX	뉴	BAR-HR	-		
_ I '	OTTAWA	1600 x 900			LQ-OTT		OTT-HZ	-	OTT-SL		OTT-FX		OTT-HR	-		
	PHOFNIX	1700 x 900			LQ-PHO		PHO-HZ		PHO-SL		PHO-FX		PHO-HR			
BACK DRAIN POSIT	ION TOKYO	1800 x 900			LQ-TOK		TOK-HZ		TOK-SL	П	TOK-FX		TOK-HR			
	OSLO	1900 x 900			LQ-OSL		OSL-HZ	$\overline{\Box}$	OSL-SL	$\overline{}$	OSL-FX		OSL-HR			
	SINGAPORE	2000 x 900			LQ-SIN		SIN-HZ		SIN-SL		SIN-FX		SIN-HR			
					BASE PACKA	CE.				R.A	ASE AND SCREEN	S PACKA	GE			
	1000MM DEEP	WIDTH DEPTH			CODE	.GL	CODE		CODE		CODE	017101010	CODE			
	MADRID	1000 x 1000			LQ-MAD		MAD-HZ						MAD-HR			
	GLASGOW	1100 x 1000			LQ-GLA		GLA-HZ		GLA-SL				GLA-HR			
	TORONTO	1200 x 1000			LQ-TOR		TOR-HZ		TOR-SL		TOR-FX		TOR-HR			
	EDINBURGH	1300 x 1000			LQ-EDI		EDI-HZ		EDI-SL		EDI-FX		EDI-HR			
	LISBON	1400 x 1000			LQ-LIS		LIS-HZ		LIS-SL		LIS-FX		LIS-HR			
	HELSINKI	1500 x 1000			LQ-HEL		HEL-HZ		HEL-SL		HEL-FX		HEL-HR			
	CHICAGO	1600 x 1000			LQ-CHI		CHI-HZ		CHI-SL		CHI-FX		CHI-HR			
	DUBAI	1700 x 1000			LQ-DUB		DUB-HZ		DUB-SL		DUB-FX		DUB-HR			
	SEATTLE	1800 x 1000			LQ-SEA		SEA-HZ		SEA-SL		SEA-FX		SEA-HR			
	HOUSTON	1900 x 1000			LQ-HOU		HOU-HZ		HOU-SL		HOU-FX		HOU-HR			
	LONDON	2000 x 1000			LQ-LON		LON-HZ		LON-SL		LON-FX		LON-HR			

All 3-wall doors can be hinged or fixed from left or right wall. A Base Package includes a tileover base with a channel drain, drain cover and waste.



Linea Quattro[™] order form

Date:						Order :	#:												
Merchant:						Contac	ct:												
2-WALLED SHON	WERS	800MM DEEP 900MM DEEP 1000MM DEEP	SIZE (mm)	LH DRAIN	RH DRAIN	BACK DRAIN		7	2140mm HIGH FRAMELESS	NCI OSFI	D HINGED	ENCLOSED SI	LIDING	WALK-IN	FIXED	ENCLOSED HIN	GFD		
LH DRAIN POSIT	TION	ž	SIS	프	표		DACKAC	<u></u>	21	DOO	R HZ	DOORS	SL	PANEL I	FX1	DOOR HR-B/	С		
	т.		WIDTH DEPTH				PACKAG ODE	>E		CODE		CODE		BASE AND SCRE	EENS PACK	CODE			
→		LIVERPOOL	1200 x 800		Г					JV-HZ		LIV-SL		LIV-FX1		LIV-HR B			
		DUBLIN	900 x 900							UB-HZ						DUB-HR B			
RH DRAIN POSI	TION	BOSTON	1000 x 900			LQ-	-BOS		ВС	OS-HZ						BOS-HR B			
W W	IION	RIO	1100 x 900			LQ	-RIO		RI	10-HZ		RIO-SL		RIO-FX1		RIO-HR B			
0		MILAN	1200 x 900] re	-MIL		N	ЛIL-HZ		MIL-SL		MIL-FX1		MIL-HR B			
<u> </u>		GENEVA	1300 x 900			LQ-	GEN		GE	EN-HZ		GEN-SL		GEN-FX1		GEN-HR B			
		PARIS	1400 x 900			LQ	-PAR		P/	AR-HZ		PAR-SL		PAR-FX1		PAR-HR B			
III DA OK DDA		SOFIA	1500 x 900] LQ	-SOF					SOF-SL				SOF-HR C			
LH BACK DRA	MIN	KANSAS	1600 x 900			LQ-	KAN					KAN-SL				KAN-HR C			
		TOLEDO	1800 x 900] LQ	-TOL					TOL-SL				TOL-HR C			
A	o	MIAMI	1000 x 1000			LQ:	-MIA		М	IIA-HZ						MIA-HR B			
		SHANGHAI	1200 x 1000			LQ-	-SHA		SH	HA-HZ		SHA-SL		SHA-FX1		SHA-HR B			
	_	VANCOUVER	1400 x 1000			LQ-	VAN		VA	AN-HZ		VAN-SL		VAN-FX1		VAN-HR B			
RH BACK DRA	AIN	TAIPEI	1500 x 1000									TAI-SL				TAI-HR C			
		CLEVELAND	1600 x 1000									CLE-SL				CLE-HR C			
		RICHMOND	1800 x 1000			re	-RIC					RIC-SL				RIC-HR C			
ANGLE FRONT SHO		NAME NAME SIZE (mm)	LH DRAIN	RH DRAIN	BASE	PACKAGE	2140mm HIGH FRAMELESS	SE AND	ED HINGE DOR HA D SCREEN KAGE					PL	HANNEL AIN ENTRY OP		STEP EN	TILE INSERT	
		WIE	OTH DEPTH		COD	E			CODE							REFER TO PG. 8	2 FOR INF	0	10
		ATHENS 100	00 × 1000	\Box	1 O ATI			ΛΤ.						<u> </u>	-			A. W	

RH DRAIN POSITION

Linea Quattro[™] order form



Date:					Order	#:								
Merchant:					Conta	ct:								
					'					NO COLORADO				
CHANNEL DRAI	IN COVER:	PLAIN SI	OTTED	TILE IN	SERT E	NTRY O	PTIONS:	EVEL ENTR						
								REFE	R TO PG. 82 FOI	RINFO				
EXTRA DEEP S	1	900MM DEEP 1000MM DEEP 1200MM DEEP					H FRAMELESS				Optic Optional extra			
^		NAME	SIZE (mm)	BACK DRAIN		/	ENCLOSED DOOI	HINGED R HZ	ENCLOSED DOOR	HINGED HR	(additional charge Ellure Tile Look W – complete Ellure Essential Connec	ge applies) all e order form	walls	
۵	- 1 -				BASE PACKA	AGE	BA	SE AND SCR	EENS PACKAGE		Acrylic Wall Liner		vvano	
- 1			WIDTH DEPTH		CODE		CODE		CODE		Activité Wall Effet			
		AUSTIN	900 x 1200		LQ-AUS		AUS-HZ		AUS-HR					
		LIMA	900 x 1400		LQ-LIM		LIM-HZ		LIM-HR			-1		
BACK DRAIN	POSITION	TUSCANY	900 x 1600		LQ-TUS		TUS-HZ		TUS-HR		Optic	nai		
Utilise a room s	toilet space	MEMPHIS	900 x 1800 All 3-wall doo	ors can	LQ-MEM	fixed from	MEM-HZ m left or right w	vall. []	MEM-HR		OPTIONAL ACCE (additional charge Suitable for Tiled	SSORIES ge applies)		
											EN1500		EN1200	
						W. F.		E. C. 181		- 2	EN900		EN750	
FOUNDRY S	ERIES HARD	WARE UPGR	ADE			Sec. 1	inea Qua	ttro TM		2	EN600		EN500	
		POLISHED	DDACC UI		DD	-	die Me		- 74	5.	EN450		EN350	
	_			PGRADE- PGRADE-		P	Architectu	ral Fini	shes		EN300		EN200	
		BRUSHED		GRADE-I		-			200	T. 74-4-4	EN140F		EN400EX12-W	
		BRUSHED	NICKEL UP	GRADE-		J	Jse order i	form or	n Pg 100.				ure Tile Look Walls	
				GRADE-G		400					EN400RF-W		EN400RF-B	
		MATTE	BLACK UP	GRADE-I	MB 🔲		100							
* Please see F	Pg. 57 for all	Foundry Series	s information.	includi	ng T&Cs.						EN140-RF-W		EN140-RF-B	



Ebony & $Ivory^{TM}$ two wall shower system order form

Date:									Ord	er#:												Fı
Merchar	nt:								Con	tact:												L
																				 •		O A
CHOOSE	A BASE	COLOUR	:	В	LACK :	shower	base			or	r	V	VHITE	showe	er bas	se [L		
	,																					
ш	SIZE (mm)		RIGHT DRAIN	LEFT DRAIN	LH/RH BACK DRAIN 2140MM HIGH FRAMELESS															(add	Optional Extenditional ch	RAS arge
NAME	SIZE (RG	EFI	LH/RI 21401	HING	ED DO	OR		HINGED HE	DOO R-T	R	SL	IDING D SL	OOR		FI	XED SCF	REEN		mplete Ell /lic Liner	ure (
										BA	SE AN	D SCREE	NS PAC	CKAGE						7101	, IIO LII IOI	_
	WIDTH	DEPTH				CC	DDE			COD	ÞΕ			CODE				CODE		ESSE	NTIAL CO	NNE
HALO	900	x 900				HAL	-HR													Ebo	ny & Ivory	
MELODY	1000	x 1000				MEL	-HR													 		
LYRIC		× 900				LYR			_	LYR-HF				LYR-SL				LYR-FX1				
TAMBORA RHYTHM		x 1000				TAM RHY				TAM-HF	₹T			TAM-SL RHY-SL				AM-FX1 RHY-FX1				
CHOOSI	E BASE/I	DRAIN PC	SITIO	N																 OPT	Opti	
																				 (ad	ditional ch	arg
																				Suite	able for Tile	∍d V
2-WALLED	RH BASE									2-WAL	LED LI	I BASE								EN1	500	
		Ī			_	/													1	EN9	00	
	$\neg \setminus$					\searrow				/	$\overline{}$									EN6	00	
]									_			EN4	50	
																\angle	_			EN3	00	
BACK DRA	IN POSITIO	ON		RH	DRAIN	POSITION	ı		В	ACK DI	RAIN P	OSITION				LH DRA	AIN PO	SITION		EN1		
																					able for Ac	rvli
																				 	OORF-W	
FOUNDR	Y SERIES	HARDWA	ARE UP	GRA	DE															 	40-RF-W	
																				 EINT	4U-KF-VV	
		PC	LISHED	BRASS	UPG	RADE-PB		BRUS	HED NI	CKEL	UPGR	ADE-BN										
			AGED	BRASS	UPG	RADE-AB			GUNN	IETAL (JPGRA	DE-GM										
		BI	RUSHED	GOLD	UPGI	RADE-BG		M	ATTE BL	.ACK	UPGR/	ADE-MB										

- ully frameless screens
- ow profile non-tiled shower base
- ptional Ellure Tile Look Wall or crylic Wall Liner

nal

OPTIONAL EXTRAS (additional charge applies)		
	CODE	
Ellure Tile Look Wall – complete Ellure order form		
Acrylic Liner	LINER-EI	
ESSENTIAL CONNECTIONS	CODE	
Ebony & Ivory	EC-EI	

nal

EN1200 EN750 EN500 EN350 EN200 EN400EX12-W c Walls or Ellure Tile Look Walls EN400RF-B EN 140-RF-B

Ebony & Ivory[™] three wall shower system order form



Date:					Order #:				SLIDING DO	OOR SCREE	NS: LH	RH
Merchant:					Contact:				Please indic	ate fixed po	anel side	
									FIXED PANE			RH
CHOOSE A BA	ASE COLOUR:	BLAC	K show	ver base	or	WHITE sh	ower base		Please indic	ate fixed po	inel side 🚤	<u> </u>
			-									
				21400MM HIGH FRAMELESS	SOOTO BELLESS				Optio			
		₹ ;	ZZZ	<u> </u>	를 들				OPTIONAL EXTRA (additional charge			
ш	E E	RIGHT DRAIN	BACK DRAIN	N N	M M						CODE	
NAM E	Size (mm)	RIGH	BAC	HINGEL	DOOR 2	SLIDING DOOR SL	FIXED SCR FX1	EEN	Ellure Tile Look W – complete Ellure			
					BASE A	ND SCREENS PACKA	GE		Acrylic Liner		LINER-EI	
	WIDTH DEPTH			CODE		CODE	CODE					
TREBLE	900 x 900			TRE-HF					ESSENTIAL CONN	ECTIONS	CODE	
SOPRANO	1000 x 1000			SOP-HF					Ebony & Ivory		EC-EI	
MANILOW	1200 x 900			MAN-HF		MAN-SL	MAN-FX1					
HYMN RUMBA	1200 x 1000 1400 x 1000			HYM-HF RUM-HF		HYM-SL RUM-SL	HYM-FX1					
CHOOSE BASI	E/DRAIN POSITION	1							OPTIONAL ACCE	SSORIES		
									Suitable for Tiled			
3-WALLED BAS	SE								EN1500		EN1200	
	7			7					EN900		EN750	
	/					$\overline{}$			EN600		EN500	
			_						EN450			
											EN350	
RH DRAIN POSIT	ION	LH DRAI	N POSITI	ON	BACK DRAIN	N POSITION			EN300		EN200	
									EN140F		EN400EX12-W	
									Suitable for Acry	lic Walls or Ell	ure Tile Look Walls	
OUNDRY SERII	ES HARDWARE UPG	RADE							EN400RF-W		EN400RF-B	
									EN140-RF-W		EN140-RF-B	
	POLISHED BE		GRADE-		HED NICKEL UPG	RADE-BN 🔲						
	AGED BE	RASS UP	GRADE-	AB 🔲	GUNMETAL UPGR	RADE-GM 🔲						

Ebony & Ivory™ systems are only available as a full package. Base Packages are not available.

* Please see Pg. 57 for all Foundry Series information, including T&Cs.

BRUSHED GOLD

MATTE BLACK UPGRADE-MB



$EasyTile^{{}^{\text{\tiny{TM}}}} \ order \ form$

Date:						Or	der#:						
Merchant:						Со	ntact:						
	ļ												
2-WALLED SHO\	WERS											1	
D		NAME	SIZE (mm)	CENTRAL DRAIN	LH RECTANGLE	RH RECTANGLE	SQUARE	<u>(-</u>		1960mm HIGH FRAMELESS	SCREEN		
LH BASE					_			BASE PACI	KAGE	BASE A	AND SCREENS	S PAC	KAGE
147			WIDTH DEPTH					CODE			CODE		
W	7	BOUTIQUE	900 x 900				<u> </u>	ET-BOU			BOU-ET-B	<u> </u>	
		HARMONY	1000 x 1000 1200 x 900		_			ET-HAR ET-SPL			HAR-ET-B	<u></u>	
	D	SPLASH ENCAPSULATOR	1200 x 900					ET-ENC			SPL-ET-B ENC-ET-B	- -	
	7	ENCAPSULATOR	1200 X 700			<u> </u>		LILINO			LING LI D		
RH BASE													
3-WALLED SHOW	WERS	NAME	SIZE (mm)	CENTRAL DRAIN	<		-/	1960mm HIGH FRAMELESS	SCR	REEN F			
					В		ACKAGE	BASE	AND SCR	REENS PAG	CKAGE		
			WIDTH DEPTH			COI			COD				
		SYMPHONY	1200 x 900			ET-SY	′M []	SYM-ET-	-F <u></u>			
ANGLE FROM	NT	NAME	SizE (mm)		CENTRAL DRAIN		<			1960mm HIGH FRAMELESS	SCREEN H		SCREEN HA
							BAS	E PACKAGE			ASE AND SCR	EENS F	PACKAGE
			WIDTH DEPTH					CODE			COD		
		AMBIENCE	900 x 900					ET-AMB			AMB-ET-H		
		VIVIDO	1000 x 1000					ET-VIV			VIV-ET-	Н	

Screen diagrams are indicative only. For exact panel size visit www.atlantis.co.nz

- 1960mm fully frameless screens
- Low profile one piece tileable shower tray
- Centre waste & easy clean waste fitting
- Optional essential waterproofing connection tapes

Optional

OPTIONAL EXTRAS (additional charge of	applies)	
Ellure Tile Look Wall – complete Ellure order form		
Essential Connections for tiled walls	EC-ET	

Optional

OPTIONAL ACCESSORIES (additional charge applies)

Suitable for Tiled	Walls		
EN1500		EN1200	
EN900		EN750	
EN600		EN500	
EN450		EN350	
EN300		EN200	
EN140F		EN400EX12-W	
Suitable for Acryl	ic Walls or Ell	ure Tile Look Walls	
EN400RF-W		EN400RF-B	
EN140-RF-W		EN140-RF-B	

FOUNDRY SERIES HARDWARE UPGRADE



POLISHED BRASS	UPGRADE-PB	
AGED BRASS	UPGRADE-AB	
BRUSHED GOLD	UPGRADE-BG	
BRUSHED NICKEL	UPGRADE-BN	
GUNMETAL	UPGRADE-GM	
MATTE BLACK	UPGRADE-MB	

^{*} Please see Pg. 57 for all Foundry Series information, including T&Cs.

Black Pearl[™] order form



Date:				Or	der#	:								
Merchant:				Co	ontac	t:								
2-WALLED SHOWE W • •	FRS NAME	SIZE (mm)	REAR DRAIN	CENTRE DRAIN	CENTRE-REAR DRAIN	2060mm HIGH FRAMELESS	SCREEN	В	SCREEN		SCREEN C	SCRE	EN MG	
LH BASE										AND SCR	EENS PACKAGE			
		WIDTH DEPTH					CODE		CODE		CODE		ODE	
	PITCAIRN	900 x 750					PIT-RO-B					PIT-RC		*
	MONACO	900 x 900				10M	N-RO/CO-B					MON-RO/CO		*
	TAHITIAN	1000 x 900				1.44	TAH-RO-B		TAH-RO-T			TAH-RC		
	MALIBU GRENADA	1000 x 1000					L-RO/CO-B					MAL-RO/CC		<u> </u>
	BAHAMAS	1200 x 750 1200 x 900					RE-RO/CR-B D/CO/CR-B		BAH-RO/CO/CR-T			GRE-RO/CF BAH-RO/CO/CF		
	FLORIDA	1500 x 1000				DAIFRO	D/CO/CR-D		BAI FRO/CO/CR-I		FLO-CR-C	□ FLO-CF		-
												* Soft-Clos		
2-WALLED SHOWE W 0 0	D WWW	SiZE (mm)	REAR DRAIN	CENTRE DRAIN	CENTRE-REAR DRAIN	2060mm HIGH FRAMELESS	SCREEN	В	SCREEN T		SCREEN C	SCREE	N MG	
RH BASE									BASE	AND SCR	PEENS PACKAGE			
		WIDTH DEPTH					CODE		CODE		CODE		DE	
	TROPICANA	900 x 750					TRO-RO-B					TRO-RO-		*
	MONACO	900 x 900				10M	N-RO/CO-B					MON-RO/CO-		*
	ZANZIBAR	1000 x 900					ZAN-RO-B		ZAN-RO-T			ZAN-RO-		
	MALIBU	1000 x 1000					L-RO/CO-B					MAL-RO/CO-		
	ACAPULCO	1200 x 750			<u> </u>		A-RO/CR-B		MALL DO (CO (CD T			ACA-RO/CR-		
	MAURITIUS	1200 x 900				IVIAU-RC	D/CO/CR-B		MAU-RO/CO/CR-T		NIALL CD C. I	MAU-RO/CO/CR-		
	NAUTILUS	1500 x 1000									NAU-CR-C	NAU-CR-	VIG	

* Soft-Close not available

Remember to order an to order Liner Acrylic Liner if required

Black Pearl systems are only available as a full package. Base Packages are not available. Screen diagrams are indicative only. For exact panel size visit www.atlantis.co.nz




Black Pearl[™] order form

							1			
Date:				C	rder	#:				
Merchant:				C	onta	ct:				_
3-WALLED SHOWN W © ©	/ERS	NAME	SIZE (mm)	CENTRE DRAIN	CENTRE-REAR DRAIN	2060mm HIGH FRAMELESS	I o	EN F	SCREEN MG	
								AND SC	CREENS PACKAGE	
			WIDTH DEPTH				CODE		CODE	
		MANIHIKI	900 x 750				MAN-RO-F		MAN-RO-MG *	
		ARUBA	1200 x 750				ARU-RO-F		ARU-RO-MG	
		DELSOL	1500 x 750				DEL-RO-F		DEL-RO-MG	
		TRISTAN	900 x 900			TF	RI-CO/RO-F		TRI-CO/RO-MG ==*	
		SEYCHELLES	1000 x 1000			SE	Y-CO/RO-F		SEY-CO/RO-MG	
		CAYMAN	1200 x 900			CA	Y-CO/RO-F		CAY-CO/-RO-MG	
		PENRHYN	1500 x 900				PEN-RO-F		PEN-RO-MG	
		BERMUDA	1500 x 1000				BER-RO-F		BER-RO-MG	
		CALYPSO	1800 x 1000				CAL-CO-F		CAL-CO-MG	
									* Soft-Close not available	
				1						

ANGLE FRONT SHOWERS W O	NAME	Size (mm)	REAR DRAIN	2060mm HIGH FRAMELESS	SCREEN HA
					BASE AND SCREENS PACKAGE
		WIDTH DEPTH			CODE
	кокомо	900 x 900			KOK-RO-HA
	LAGUNA	1000 x 1000			LAG-RO-HA □

Black Pearl systems are only available as a full package. Base Packages are not available. Screen diagrams are indicative only. For exact panel size visit **www.atlantis.co.nz**

- 2060mm fully frameless screens
- White non-tiled shower tray
- Optional Ellure Tile Look or Acrylic Wall Liner



FOUNDRY SERIES HARDWARE UPGRADE



POLISHED BRASS	UPGRADE-PB	
AGED BRASS	UPGRADE-AB	
BRUSHED GOLD	UPGRADE-BG	
BRUSHED NICKEL	UPGRADE-BN	
GUNMETAL	UPGRADE-GM	
MATTE BLACK	UPGRADE-MB	


^{*} Please see Pg. 57 for all Foundry Series information, including T&Cs.

Quub[™] order form

atlantis	

Date:	Order #:	
Merchant:	Contact:	

- 1960mm fully frameless screens
- Low profile one piece prefinished shower tray
- Centre drain and Easy clean waste



Screen diagrams are indicative only. For exact panel size visit www.atlantis.co.nz

MANTRA

1000 x 1000

QU-MAN

Quub™ Graphite is supplied with Matte Black Hardware

GR-MAN-QU-H

MAN-QU-H

QU-MAN-GR



Frameless Screens order form

Date:						Order #:						_
Dule.						Oldel π.						_
Merchant:					- 0	Contact	:					
												_
2-WALLED SHOWERS	HIGH			+1		SH	WALLED HOWERS	HIGH SS	1		- 1	
SIZE (mm)	2120mm HIGH FRAMELESS	CLOSED H		ENCLOSED SLIDII DOOR SL	NG	017E (mm)	3776	2120mm HIGH FRAMELESS	ENCLOSED 3 PANEL D		ENCLOSED SLIDII DOOR SL	NG
WIDTH DEPTH	111 =	CODE		CODE			VIDTH	***	CODE		CODE	
900 x 900	AFS-	2W-9X9					900		AFS-3W-9			
1000 x 900	AFS-2	W-10X9					1000		AFS-3W-10			
1100 x 900	AFS-2	W-11X9		AFS-2W-SL-11X9			1100		AFS-3W-11		AFS-3W-SL-11	
1200 x 900	AFS-2	W-12X9		AFS-2W-SL-12X9			1200		AFS-3W-12		AFS-3W-SL-12	
1300 x 900	AFS-2	W-13X9		AFS-2W-SL-13X9			1300		AFS-3W-13		AFS-3W-SL-13	
1400 x 900	AFS-2	W-14X9		AFS-2W-SL-14X9			1400		AFS-3W-14		AFS-3W-SL-14	
1500 x 900				AFS-2W-SL-15X9			1500		AFS-3W-15		AFS-3W-SL-15	
1600 x 900				AFS-2W-SL-16X9			1600		AFS-3W-16		AFS-3W-SL-16	
1700 x 900				AFS-2W-SL-17X9			1700		AFS-3W-17		AFS-3W-SL-17	
1800 x 900				AFS-2W-SL-18X9			1800		AFS-3W-18		AFS-3W-SL-18	
1900 x 900				AFS-2W-SL-19X9			1900		AFS-3W-19		AFS-3W-SL-19	
2000 x 900				AFS-2W-SL-20X9			2000		AFS-3W-20		AFS-3W-SL-20	
900 x 1000	AFS-	2W-9X1				_						
1000 x 1000	AFS-2	W-10X1										
1100 x 1000	AFS-2	W-11X1		AFS-2W-SL-11X1		_						
1200 x 1000	AFS-2	W-12X1		AFS-2W-SL-12X1			WALLED ND				4	
1300 x 1000	AFS-2	W-13X1		AFS-2W-SL-13X1		2-	WALLED					
1400 x 1000	AFS-2	W-14X1		AFS-2W-SL-14X1		FD	XED PANEL	_				
1500 x 1000				AFS-2W-SL-5X1				ΘEΩ		+		
1600 x 1000				AFS-2W-SL-16X1		_ {		2120mm HIGH FRAMELESS				
1700 x 1000				AFS-2W-SL-17X1			4	20r SAM		WALK-II PANE	N FIXED	
1800 x 1000				AFS-2W-SL-18X1		_		2⊞			LTAI	
1900 x 1000				AFS-2W-SL-19X1			VIDTH			CODE		
2000 x 1000				AFS-2W-SL-20X1			570			AFS-FX-570		
						_	670			AFS-FX-670		
							870			AFS-FX-870		
FOUNDRY SE	RIES HARD	WARE U	PGRADE			_	970			AFS-FX-970		
							1070			FS-FX-1070		
		PO	LISHED BRASS	UPGRADE-PB			1170			FS-FX-1170		
			AGED BRASS	UPGRADE-AB			1270			FS-FX-1270		
		BR	USHED GOLD	UPGRADE-BG	П		1370		A	FS-FX-1370		

BRUSHED NICKEL
GUNMETAL

MATTE BLACK

UPGRADE-GM

UPGRADE-MB

SLIDING DOOR SCREENS:

Please indicate fixed panel side

FIXED PANEL (FX) OPTION:

Please indicate fixed panel side


RH

^{*} Please see Pg. 57 for all Foundry Series information, including T&Cs.

Ellure[™] Tile Look Walls order form




					_
Date:			Order #:		
Merchant:			Contact:		
TWO WALL OPTION	NS	FEATURE PANEL COLOUR:	BLACK	WHITE	
	UP TO 12	OOMM WIDE		1201MM TO 1500MM WIDE	OVER 1501MM WIDE



Feature panel available on left or right side.

UP TO 1200mm WIDE								
	WIDTH	CODE						
FEATURE LH WALL	Up to 1200	ELL-WPP-1L						
FEATURE RH WALL	Up to 1200	ELL-WPP-1R						
SIMPLY WHITE	Up to 1200	ELL-WPP-2						



Feature panel available on left or right side.

1201mm TO 1500mm WIDE						
	WIDTH	CODE				
FEATURE LH WALL	1201 - 1500	ELL-WPP-3L				
FEATURE RH WALL	1201 - 1500	ELL-WPP-3R				
SIMPLY WHITE	1201 - 1500	ELL-WPP-4				




Feature panel available on 1500mm side only.

OVER 1501mm WIDE					
	WIDTH	CODE			
FEATURE	Over 1501	ELL-WPP-5			

THREE WALL OPTIONS


UP TO 1200MM WIDE



Feature panel available on back, left or right panel.

UP TO 1200mm WIDE			
	WIDTH	CODE	
FEATURE LH WALL	Up to 1200	ELL-WPP-6L	
FEATURE RH WALL	Up to 1200	ELL-WPP-6R	
FEATURE BACK WALL	Up to 1200	ELL-WPP-6B	
SIMPLY WHITE	Up to 1200	ELL-WPP-7	

1201MM TO 1500MM WIDE




Feature panel available on back, left or right panel.

1201mm TO 1500mm WIDE								
WIDTH	CODE							
1201 - 1500	ELL-WPP-8B							
1201 - 1500	ELL-WPP-9L							
1201 - 1500	ELL-WPP-9R							
1201 - 1500	ELL-WPP-10							
	1201 - 1500 1201 - 1500 1201 - 1500	WIDTH CODE 1201-1500 ELL-WPP-8B 1201-1500 ELL-WPP-9R 1201-1500 ELL-WPP-10						

All wall finishes are an optional extra. Centre joiner available on request. Please note: Ellure Tile Look Walls are non-returnable.

OVER 1501MM WIDE



Feature panel available on back panel only.

OVER 1501mm W	I DE WIDTH	CODE		Centre joiner
FEATURE	Over 150	1 ELL-WPP-11		available on
SIMPLY WHITE	Over 150	1 ELL-WPP-12		request
		WIDTH	CO	DE

	WIDTH	CODE	
STANDARD SIMPLY WHITE ELLURE SHEET	1200	ELL-WPP-13	



Linea Quattro[™] Architectural Finishes order form

Date:	Order #:	
Merchant:	Contact:	

LINEA QUATTRO™ ARCHITECTURAL FINISHES



White Liberettostone™

Solid LiberettoStone[™] in beautiful white. Simply stunning.

PRODUCT (mm)	WHITE	
	CODE	
Up to 1200	AF-MW-SMALL	
Over 1201	AF-MW-LARGE	



Terra Liberettostone™

Add a natural earthy feel to your bathroom with the Terra architectural finish.

PRODUCT (mm)	TERRA	
	CODE	
Up to 1200	AF-TER-SMALL	
Over 1201	AF-TER-LARGE	



Black Liberettostone™

Achieve a slot drain effect with minimalist, moody and striking jet black.

PRODUCT (mm)	BLACK	
	CODE	
Up to 1200	AF-MB-SMALL	
Over 1201	AF-MB-LARGE	



Nero Liberettostone™

As intriguing as the night sky. Combines dark greys and browns with hints of white throughout.

PRODUCT (mm)	NERO	
	CODE	
Up to 1200	AF-NER-SMALL	
Over 1201	AF-NER-LARGE	



Stainless Steel Polished or Brushed

This industrial look combines perfectly with polished concrete.

PRODUCT (mm)	POLISHED STAINLESS STEEL		BRUSHED STAINLESS STEEL	
	CODE		CODE	
Up to 1200	AF-PSS-SMALL		AF-MSS-SMALL	
Over 1201	AF-PSS-LARGE		AF-MSS-LARGE	



Alabaster Porcelain Tile

Alabaster adds a chic and contemporary touch to any shower.

PRODUCT (mm)	ALABASTER	
	CODE	
Up to 1200	AF-ALA-SMALL	
Over 1201	AF-ALA-LARGE	

www.atlantis.co.nz

100

Ebony & Ivory Collection™ Purelite Mirror, Vanities, Cabinets and Bath order form



Date:	Order #:	
Merchant:	Contact:	

BATHS

SONATA



Available in white only.

BATHTUB SIZE (mm)	WHITE	
LENGTH X WIDTH	CODE	
1700 x 800 x 550	EI-SON-W	

PRESTO



Available in all white or with a black exterior.

BATHTUB SIZE (mm)	WHITE	BLACK OUTSIDE
LENGTH X WIDTH	CODE	CODE
1700 x 860 x 540	EI-PRE-W □	EI-PRE-B □

RENAISSANCE



Available in white only.

BATHTUB SIZE (mm)	WHITE	
LENGTH X WIDTH	CODE	
1700 x 800 x 580	EI-REN-W	

OCTAVE



Available in white only.

BATHTUB SIZE (mm)	WHI	TE
LENGTH X WIDTH	CODE	
1800 x 800 x 580	EI-OCT-W	

WASHBASINS, VANITIES & CABINETS

SCHERZO



VANITY SIZE (mm)	WHITE/LIGHT OAK		WHITE/DARK OAK	
LENGTH X WIDTH	CODE		CODE	
900 x 460 x 330	EI-SCH-900-W-L		EI-SCH-900-W-D	
1000 x 460 x 330	EI-SCH-1000-W-L		EI-SCH-1000-W-D	
1200 x 460 x 330	EI-SCH-1200-W-L		EI-SCH-1200-W-D	
1200 x 460 x 330	EI-SCH-1200-W-LH		EI-SCH-900-W-D-LH	
1200 x 460 x 330	EI-SCH-1200-W-RH		EI-SCH-900-W-D-RH	
1500 x 460 x 330	EI-SCH-1500-W-L		EI-SCH-1500-W-D	
1500 x 460 x 330	EI-SCH-1500-W-2X		EI-SCH-1500-W-2X	
1800 x 460 x 330	EI-SCH-1800-W-L		EI-SCH-1800-W-D	
1800 x 460 x 330	EI-SCH-1800-W-2X		EI-SCH-1800-W-2X	

STACCATO



VANITY SIZE (mm)	WHITE/LIGHT OAK	WHITE/DARK OAK
LENGTH X WIDTH	CODE	CODE
500 x 320 x 330	EI-STA-500-W-L □	EI-STA-500-W-D □
750 x 320 x 330	EI-STA-750-W-L □	EI-STA-750-W-D □

RUBATO

WASHBASIN SIZE (mm)	WHITE/LIGHT OAI	K	WHITE/DARK OA	ĸ
LENGTH X WIDTH	CODE		CODE	
900 x 460 x 115	EI-RUB-900-W-L		EI-RUB-900-W-D	
1000 x 460 x 115	EI-RUB-1000-W-L		EI-RUB-1000-W-D	
1200 x 460 x 115	EI-RUB-1200-W-L		EI-RUB-1200-W-D	
1500 X 460 X 115	EI-RUB-1500-W-L		EI-RUB-1500-W-D	
1800 X 460 X 115	EI-RUB-1800-W-L		EI-RUB-1800-W-D	

ROCOCO



WHITE		BLACK	
CODE		CODE	
EI-ROC-900-W		EI-ROC-900-B	
EI-ROC-1000-W		EI-ROC-1000-B	
EI-ROC-1200-W		EI-ROC-1200-B	
EI-ROC-1500-W		EI-ROC-1500-B	
EI-ROC-1800-W		EI-ROC-1800-B	
	CODE EI-ROC-900-W EI-ROC-1000-W EI-ROC-1200-W EI-ROC-1500-W	CODE EI-ROC-900-W □ EI-ROC-1000-W □ EI-ROC-1200-W □ EI-ROC-1500-W □	CODE CODE EI-ROC-900-W □ EI-ROC-900-B EI-ROC-1200-W □ EI-ROC-1200-B EI-ROC-1500-W □ EI-ROC-1500-B

VERISMO



CABINET SIZE (mm)	WHITE/LIGHT OAK	WHITE/DARK OAK
HEIGHT X WIDTH	CODE	CODE
1200 x 320 x 180	EI-VER-1200-W-L □	EI-VER-1200-W-D □

PURELITE™ MIRROR


SQUARE/RECTANGLE

MIRROR SIZE (mm)	WHITE	BLACK	
WIDTH X HEIGHT	CODE	CODE	
600 x 600	PLM600-W	PLM600-B	
750 x 600	PLM750-W	PLM750-B	
900 x 600	PLM900-W	PLM900-B	
1000 x 600	PLM1000-W	PLM1000-B	
1200 x 600	PLM1200-W	PLM1200-B	
1500 x 600	PLM1500-W	PLM1500-B	
1800 x 600	PLM1800-W	PLM1800-B	

CIRCLE

MIRROR SIZE (mm)	WHITE	BLACK	
DIAMETER	CODE	CODE	
600	PLM600C-W □	PLM600C-B	
750	PLM750C-W □	PLM750C-B	
1000	PLM1000C-W □	PLM1000C-B	
1200	PLM1200C-W □	PLM1200C-B	







About Atlantis

An evolution in bathroom style and functionality.

Atlantis invented the EasyTile[™] shower system in 1996, and have continued to develop innovative bathroom solutions since. Winning the Designex 'Most Innovative Product' award, Atlantis has secured a position as New Zealand's most premier bathroom system manufacturer. This is reflected in the high level of design and craftsmanship in every Atlantis product.

We operate from a purpose built facility in the new Lakes area of Tauranga, within the beautiful Bay of Plenty.

To visit an Atlantis Design Centre, see back cover for details.

For more information on all of our products and product ranges, visit our website, www.atlantis.co.nz or call us on 0800 428 526.






In the area? Find inspiration at one of our Design Centres.

Auckland

46B Stanley St, Parnell

Book your appointment today. Visit <u>atlantis.co.nz/showroom</u> to book.



Tauranga

26 Porutu Place, Tauriko Business Estate

Book your appointment today. Visit <u>atlantis.co.nz/showroom</u> to book.

